



ABOUT

We stand at the intersection of landscape and architecture, our work is founded in balance — between people and place — enhancing the Australian built environment through quality, design detail and durability that surpasses time and trends.



AUSTRALIAN MANUFACTURING

Quatro Design is synonymous with quality. To achieve consistent high quality and durability, our products are manufactured using modern and specialized GRC equipment.

The manufacture of GRC production requires a high degree of hands-on specialized labour coupled with close attention to detail.

Many of our employees are long standing and valued members of our team who understand GRC production and what is required to deliver consistent quality. These highly valued personal skills coupled with modern specialised GRC equipment is an important part of our manufacturing philosophy.

Each piece is checked during the manufacturing process to ensure compliance with our strict standards and to ensure that our products deliver on customer expectations.

We believe in the value of hand finishing all our products, with attention to detail that that has been acquired over years of manufacturing and in supporting the development of our team.

4



We're proud of the support that we are able to give our local community and the role that we continue to play in enhancing the Australian built environment.



 $\mathbf{6}$

DELTA



This Glassfibre Reinforced Concrete (GRC) collection with its smooth curves was inspired by organic shapes found in nature. Its iconic and visually pleasing free form has fast become a staple of public space design. Timber decks can also be incorporated to compliment its natural shape.

Visit quatrodesign.com.au for more information on our colour options, accessories, product specifications and drawings.

CURVED ASYMMETRY

Delta I with 900 mm Planter with GRC top DELTA1GD90 L 2500 x W 1400 mm 400kg Approx Weight



Delta I with Trioval Planter with GRC top DELTA1GD3P L 2500 x W 1400 mm 400kg Approx Weight



0

Delta I 900 mm Planter & Timber DELTA1TD90 L 2500 x W 1400 mm 350kg Approx Weight



Delta I Trioval Planter & Timber DELTA1TD3P L 2500 x W 1400mm 350kg Approx Weight



Delta II 1050 mm Planter & Timber

DELTA2TD10
L 2550 x W 2330 mm
600kg Approx Weight



COLOUR EXAMPLES

KALGOORLIE

Delta I with 900 mm Planter with GRC top DELTA1GD90 L 2500 x W 1400 mm 400kg Approx Weight



Delta I with Trioval
Planter with GRC top
DELTA1GD3P
L 2500 x W 1400 mm
400kg Approx Weight



Delta I 900 mm Planter & Timber
DELTA1TD90
L 2500 x W 1400 mm
350kg Approx Weight



CONCRETE GREY

Delta I with 900 mm Planter with GRC top DELTA1GD90 L 2500 x W 1400 mm 400kg Approx Weight



Delta I with Trioval Planter with GRC top DELTA1GD3P L 2500 x W 1400 mm 400kg Approx Weight



Delta I 900 mm Planter & Timber DELTA1TD90 L 2500 x W 1400 mm 350kg Approx Weight



CHARCOAL

Delta I with 900 mm Planter with GRC top DELTA1GD90 L 2500 x W 1400 mm 400kg Approx Weight



Delta I with Trioval Planter with GRC top DELTA1GD3P L 2500 x W 1400 mm 400kg Approx Weight



Delta I 900 mm Planter & Timber DELTA1TD90 L 2500 x W 1400 mm

350kg Approx Weight



• Palletised = forklift or crane required

Palletised for multiples only = forklift or crane required if more than one unit on order

8

SCALE REFERENCE

Delta I with 900 mm Planter with GRC top DELTA1GD90 L 2500 x W 1400 mm 400kg Approx Weight

Delta I with Trioval Planter with GRC top DELTA1GD3P L 2500 x W 1400 mm 400kg Approx Weight

0





Delta I 900 mm Planter & Timber DELTA1TD90 L 2500 x W 1400 mm 350kg Approx Weight

Delta I Trioval Planter & Timber
DELTA1TD3P
L 2500 x W 1400mm
350kg Approx Weight

Delta II 1050 mm Planter & Timber • DELTA2TD10 L 2550 x W 2330 mm 600kg Approx Weight









