





QUATRO  
DESIGN®



TRAQ®



### THE ONLY LIMIT IS YOUR IMAGINATION

Our cutting-edge modular seating system in GRC presents an array of limitless seating configurations, meticulously designed to cater to the distinct requirements of public spaces.

The seating modules can be extended in 600mm intervals, accommodating spaces both indoors and outdoors, ranging up to 2400mm.

The inclusion of backrests, timber or upholstered seating inserts, planters and a range of complementary accessory options, ensure a seamless fit for any setting.



## ABOUT US

We stand at the intersection of landscape and architecture, our work is founded in balance — between people and place — enhancing the Australian built environment through quality, design detail and durability that surpasses time and trends.



### AUSTRALIAN MANUFACTURING

Quatro Design is synonymous with quality. To achieve consistent high quality and durability, our products are manufactured using modern and specialized GRC equipment.

The manufacture of GRC production requires a high degree of hands-on specialized labour coupled with close attention to detail.

Many of our employees are long standing and valued members of our team who understand GRC production and what is required to deliver consistent quality. These highly valued personal skills coupled with modern specialised GRC equipment is an important part of our manufacturing philosophy.

Each piece is checked during the manufacturing process to ensure compliance with our strict standards and to ensure that our products deliver on customer expectations.

We believe in the value of hand finishing all our products, with attention to detail that has been acquired over years of manufacturing and in supporting the development of our team.

# TRAQ®



We're proud of the support that we are able to give our local community and the role that we continue to play in enhancing the Australian built environment.





# TRAQ®



## STRAIGHT SEATING MODULES

Comes standard with Straight Ends

Option for Rounded End (R)



\*Rounded End on one side only

Seat  
TQ-SEAT  
D 440 x H 430 mm  
30kg Approx Weight



One Seater Bench  
TQ-1S  
Rounded: TQ-1SR  
L 600 x W 440 x H 430 mm  
55kg Approx Weight



Two Seater Bench  
TQ-2S  
Rounded: TQ-2SR  
L 1200 x W 440 x H 430 mm  
95kg Approx Weight



Three Seater Bench  
TQ-3S  
Rounded: TQ-3SR  
L 1800 x W 440 x H 430 mm  
135kg Approx Weight



Four Seater Bench  
TQ-4S  
Rounded: TQ-4SR  
L 2400 x W 440 x H 430 mm  
175kg Approx Weight





## BACKREST OPTIONS

Comes standard with Straight Ends



Option for Rounded End (R)



\*Rounded End on one side only

Option for Flat Back (F)



Option for Flat Back Rounded (FR)



### One Seater Backrest

TQ-1B  
Rounded: TQ-1BR  
Flat Back: TQ-1B-F  
Flat Rounded Right: TQ-1BR-FR  
Flat Rounded Left: TQ-1BR-FL

L 600 x W 440 x H 830 mm  
80kg Approx Weight



### Two Seater Backrest

TQ-2B  
Rounded: TQ-2BR  
Flat Back: TQ-2B-F  
Flat Rounded Right: TQ-2BR-FR  
Flat Rounded Left: TQ-2BR-FL

L 1200 x W 440 x H 830 mm  
135kg Approx Weight



### Three Seater Backrest

TQ-3B  
Rounded: TQ-3BR  
Flat Back: TQ-3B-F  
Flat Rounded Right: TQ-3BR-FR  
Flat Rounded Left: TQ-3BR-FL

L 1800 x W 440 x H 830 mm  
190kg Approx Weight



### Four Seater Backrest

TQ-4B  
Rounded: TQ-4BR  
Flat Back: TQ-4B-F  
Flat Rounded Right: TQ-4BR-FR  
Flat Rounded Left: TQ-4BR-FL

L 2400 x W 440 x H 830 mm  
245kg Approx Weight



## 90° MITRE SUITE

Option for Flat Back (F)



### Mitre Inner Bench Seating

TQ-MI

L 1040 x W 1040 x H 430 mm  
144kg Approx Weight  
\*Includes x 2 modules for 90°



### Mitre Backrest, TQ-MB

Flat back: TQ-MB-F  
(Flat Back Concave only)

L 1420 x W 1420 x H 830 mm  
280kg Approx Weight  
\*Includes x 2 modules for 90°



### Mitre Outer Bench Seating

TQ-MO

L 1800 x W 1800 x H 430 mm  
246kg Approx Weight  
\*Includes x 2 modules for 90°



TRAQ®



CURVED  
MODULES



**CLR820 Curved Seat**  
TQ-CS-820-(insert angle)

CLR820 x W 440 x H 430 mm  
Angles:  
90°, 120°, 135° or 150°  
45-100kg Approx Weight



TQ-CS-820-150 shown

**CLR1200 Curved Backrest**  
TQ-CB-1200-(insert angle)

CLR1200 x W 440 x H 830 mm  
Angles:  
90°, 120°, 135° or 150°  
85-200kg Approx Weight



TQ-CB-1200-150 shown

**CLR1580 Curved Seat**  
TQ-CS-1580-(insert angle)

CLR1580 x W 440 x H 430 mm  
Angles:  
90°, 120°, 135° or 150°  
70-180kg Approx Weight



TQ-CS-1580-150 shown

**CLR1960 Curved Backrest**  
TQ-CB-1960-(insert angle)

CLR1960 x W 440 x H 430 mm  
Angles:  
120°, 135° or 150°  
120-210kg Approx Weight



TQ-CB-1960-150 shown

**CLR2340 Curved Seat**  
TQ-CS-2340-(insert angle)

CLR2340 x W 440 x H 830 mm  
Angles:  
120°, 135° or 150°  
95-140kg Approx Weight



TQ-CS-2340-150 shown

**CLR2720 Curved Backrest**  
TQ-CB-2720-(insert angle)

CLR2720 x W 440 x H 430 mm  
Angles:  
120°, 135° or 150°  
155-285kg Approx Weight



TQ-CB-2720-150 shown

**CLR3100 Curved Seat**  
TQ-CS-3100-(insert angle)

CLR3100 x W 440 x H 430 mm  
Angles:  
135° or 150°  
125-175kg Approx Weight



TQ-CS-3100-150 shown

**CLR3480 Curved Backrest**  
TQ-CB-3480-(insert angle)

CLR3480 x W 440 x H 830 mm  
Angles:  
135° or 150°  
190-275kg Approx Weight



TQ-CB-3480-150 shown

**CLR3860 Curved Seat**  
TQ-CS-3860-(insert angle)

CLR3860 x W 440 x H 430 mm  
Angles:  
135° or 150°  
150-215kg Approx Weight



TQ-CS-3860-150 shown



## SEATING INSERTS

Enhance and tailor your seating configurations by incorporating recessed timber or upholstered inserts. The inserts are available in various lengths: 600mm, 1200mm, 1800mm and 2400mm, seamlessly fitting into the seat design.

Our standard timber option is Spotted Gum, but you have the flexibility to substitute with other timber options. We also have a selection of upholstery options, both interior and exterior fabrics available for specification.

Connect with our sales team to explore placement and configuration possibilities for your inserts.



Comes standard with Straight Ends



Option for Rounded End (R)



\*Rounded End on one side only

Option for Rounded End



\*Rounded End on one side only

Option for Timber Length-way (TL)



Option for Timber Width-way (TW)



**TIMBER SEATING INSERTS**

**One Seater Timber Insert**  
 Length-way: T1SL  
 Width-way: T1SW  
 Rounded: T1SLR & T1SWR  
 L 600 x W 440 x H 35 mm  
 55kg Approx Weight



TQ-1S-T1SW shown

**Two Seater Timber Insert**  
 Length-way: T2SL  
 Width-way: T2SW  
 Rounded: T2SLR & T2SWR  
 L 1200 x W 440 x H 35 mm  
 95kg Approx Weight



TQ-2S-T2SW shown

**Three Seater Timber Insert**  
 Length-way: T3SL  
 Width-way: T3SW  
 Rounded: T3SLR & T3SWR  
 L 1800 x W 400 x H 35 mm  
 130kg Approx Weight



TQ-3S-T3SW shown

**Four Seater Timber Insert**  
 Length-way: T4SL  
 Width-way: T4SW  
 Rounded: T4SLR & T4SWR  
 L 2400 x W 440 x H 35 mm  
 170kg Approx Weight



TQ-4S-T4SW shown

TIMBER INSERT EXAMPLES



TQ-1SR-T1SLR shown



TQ-2S-T1SL shown



TQ-3SR-T2SWR shown



TQ-4S-T1SL shown



**CURVED  
TIMBER  
SEATING  
INSERTS**

**CLR820 Curved Timber Insert (Width-ways only)**  
TQ-CS-820-(insert angle)-TW  
  
CLR820 x W 440 x H 430 mm  
Angles:  
90°, 120°, 135° or 150°  
45-100kg Approx Weight



TQ-CS-820-150-TW shown

**CLR1580 Curved Timber Insert (Width-ways only)**  
TQ-CS-1580-(insert angle)-TW  
  
CLR1580 x W 440 x H 430 mm  
Angles:  
90°, 120°, 135° or 150°  
70-175kg Approx Weight



TQ-CS-1580-150-TW shown

**CLR2340 Curved Timber Insert (Width-ways only)**  
TQ-CS-2340-(insert angle)-TW  
  
CLR2340 x W 440 x H 830 mm  
Angles:  
120°, 135° or 150°  
95-170kg Approx Weight



TQ-CS-2340-150-TW shown

**CLR3100 Curved Timber Insert (Width-ways only)**  
TQ-CS-3100-(insert angle)-TW  
  
CLR3100 x W 440 x H 430 mm  
Angles:  
135° or 150°  
120-170kg Approx Weight



TQ-CS-3100-150-TW shown

**CLR3860 Curved Timber Insert (Width-ways only)**  
TQ-CS-3860-(insert angle)-TW  
  
CLR3860 x W 440 x H 430 mm  
Angles:  
135° or 150°  
145-210kg Approx Weight



TQ-CS-3860-150-TW shown



**TIMBER  
BRIDGING  
UNITS**

Our timber bridging units, brackets and all necessary components are included in your delivery for hassle-free assembly on site.

**Three Seater Bridge**  
(Recessed 600mm from ends)  
**T3SL-BRIDGE**  
Rounded: T3SLR-BRIDGE  
  
L 1800 x W 440 x H 35 mm  
21kg Approx Weight



T3SL-BRIDGE shown

**Four Seater Bridge**  
(Recessed 600mm from ends)  
**T4SL-BRIDGE**  
Rounded: T4SLR-BRIDGE  
  
L 2400 x W 440 x H 35 mm  
28kg Approx Weight




T4SLR-BRIDGE shown

# TRAQ®

## UPHOLSTERED SEATING INSERTS

To add to TRAQ's versatility upholstered seating inserts can be specified as a timber alternative.

Every space is unique, discuss your requirements with our sales team for a quote and seating insert solution. Our upholstery options cover both internal and external fabric options to cater to all living conditions.



UPHOLSTERED COLOUR EXAMPLES



TRAQ®





PLANTERS

Comes standard with Straight Ends      Option for Rounded End (R)



\*Rounded End on one side only

**440 Planter**  
TQ-440PL  
D 440 x H 430 mm  
30kg Approx Weight



**600 Planter**  
TQ-600PL  
Rounded: TQ-600PLR  
L 600 x W 440 x H 430 mm  
Rim 70 mm  
55kg Approx Weight



**1200 Planter**  
TQ-1200PL  
Rounded: TQ-1200PLR  
L 1200 x W 440 x H 430 mm  
Rim 70 mm  
95kg Approx Weight



**1800 Planter**  
TQ-1800PL  
Rounded: TQ-1800PLR  
L 1800 x W 440 x H 430 mm  
Rim 70 mm  
135kg Approx Weight



**2400 Planter**  
TQ-2400PL  
Rounded: TQ-2400PLR  
L 2400 x W 440 x H 430 mm  
Rim 70 mm  
175kg Approx Weight



PLANTER INSERTS

Planter inserts can be positioned anywhere on the GRC base (in 600mm increments). Discuss your preferred location with our sales team.

**440 Planter Insert**  
(insert seat)-440PL  
Rounded: (insert seat)-440PLR  
300 x 300 mm (Planter)



TQ-4S-440PL shown

**600 Planter Insert**  
(insert seat)-600PL  
Rounded: (insert seat)-600PLR  
460 x 300 mm (Planter)



TQ-4S-600PL shown

**1200 Planter Insert**  
(insert seat)-1200PL  
Rounded: (insert seat)-1200PLR  
1060 x 300 mm (Planter)



TQ-4S-1200PL shown

**1800 Planter Insert**  
(insert seat)-1800PL  
Rounded: (insert seat)-1800PLR  
1660 x 300 mm (Planter)



TQ-4S-1800PL shown

## ACCESSORIES

TRAQ's range of accessories allow you to create functionality, personalisation and style to your TRAQ design.

Accessories can be positioned anywhere on the GRC base. Discuss your preferred location with our sales team.



Table Small  
TQ-TABLESML

L 900 x W 900 x H 705 mm  
50kg Approx Weight



Table Double  
TQ-TABLELRG

L 2100 x W 900 x H 705 mm  
125kg Approx Weight



Side Table  
TQ-TABLESML

L 275 x W 275 x H 220 mm



Armrest  
TQ-ARMREST

L 351 x W 50 x H 220 mm




Trellis Screen  
TQ-TRELLIS-A-LRG


L 1401 x H 1754 mm



Trellis Screen  
TQ-TRELLIS-A-SML

L 801 x H 1754 mm





**3D CONFIGURATOR**

This innovative tool allows you to enter your footprint and formulate different configuration options for upcoming projects.

CONFIGURATION EXAMPLES



MODULES:

- 2 TQ-CS-820-90
- 2 TQ-CS-820-90-TW

MODULES:

- 2 TQ-2SR
- 2 TQ-CS-820-150
- 2 TQ-4S-T4SL
- 2 TQ-CS-1580-150
- 1 TQ-2400PLR
- 2 TQ-3BR
- 2 TQ-CB-1200-150
- 1 TQ-4B
- 1 TQ-3S-T2SLR



MODULES:

- 3 TQ-CB-1200-90
- 3 TQ-CS-820-90
- 1 TQ-TABLE-SML



MODULES:

- 1 TQ-4SR-U3SR-600PL
- 1 TQ-2S-U2S
- 1 TQ-1800PL
- 1 TQ-3S-U3S
- 1 TQ-4SR-U2SR-1200PL
- 1 TQ-4BR-FR
- 2 TQ-4B-F
- 1 TQ-4BR-FL



MODULES:

- 1 TQ-2S-T2SW
- 1 TQ-2S-600PL
- 1 TQ-ARMREST



MODULES:

- 4 TQ-CS-1580-120
- 2 TQ-CS-1580-120-TW
- 4 TQ-3S-T2SW
- 6 TQ-CB-1200-120
- 4 TQ-3B

PRODUCT CODING:  
TQ - XXXX - XXXX- XXXX  
seat or insert planter  
backrest


### STRAIGHT SEATING



### Timber Insert Length-way



### Timber Insert Width-way




### Upholstered Insert




### STRAIGHT SEATING with ROUNDED END



### Timber Insert Length-way




### Timber Insert Width-way



### Upholstered Insert




### CURVED MODULES




Seats available with timber width-way and upholstered inserts

### BACKREST OPTIONS



### with Rounded End



### MITRE SUITE



### PLANTER INSERT



### Planter & Timber Length-way Combo



### Planter & Timber Width-way Combo




### Planter & Upholstery Combo




### PLANTER INSERT with ROUNDED END SEAT




### Planter & Timber Length-way Combo



### Planter & Timber Width-way Combo



### Planter & Upholstery Combo



©2024 Quatro Design Pty Ltd. All rights reserved.

This document, including all of its contents, photographs, diagrams, drawings or representations contained, is the exclusive property of Quatro Design Pty Ltd. All information contained in this document is sensitive confidential information of Quatro Design Pty Ltd, and may also represent confidential and legally protected and enforceable industrial or intellectual property of Quatro Design Pty Ltd. No part of this document, including any photographs, diagrams, drawings or representations, may be reproduced, republished or otherwise disclosed or distributed without prior written consent of Quatro Design Pty Ltd. Document Reference: TQ-FY24



WHERE LANDSCAPE MEETS ARCHITECTURE®

QUATRODESIGN.COM.AU